
MOVING SUPPLIES





About Us

The Caster Guy is located in beautiful Green Bay Wisconsin. Our company has been in business since 1984 and The Caster Guy website began in 2009. We distribute casters, wheels, and related accessories all over the United States to homeowners as well as all business types. We sell via the web, phone, and to walk in customers.

The Caster Guy was created to ensure that potential customers from coast to coast are able to reap the same benefits that our local customers have enjoyed for years.

Our mission is to provide you with the best possible experience for your caster, wheel, or related accessory needs. This includes fast friendly service and competitive pricing.

As of July 1st, 2013 The Caster Guy became a division of Garland's Inc., and thus now has access to a full line of material handling products.

Established in Minneapolis, MN, 1944, Garland's has been distributing casters, wheels, shelving, and a wide variety of other material handling products for seventy years. Our strength of service and dedication has allowed our continued growth through the economic hardships of the eighties, and the more recent recession of the 2000's. Our stability has allowed us to expand into markets in Iowa, Colorado, and Wisconsin; giving us the ability to provide greater service to the Midwest. As one of the top caster distributors in the nation, Garland's Inc. brings the needs of our customers directly to the caster industry's forefront. Being a long standing member of the National Caster Alliance, Garlands Inc. has cultivated close relationships with some of the most prestigious manufacturers in the caster industry. In addition to the thousands of other manufacturers we offer, we proudly represent the entire line of Colson products: Colson, Albion, Shepherd, MedCaster, Jarvis, Faultless, and Pemco.

Our commitment to customer service ensures Garland's is the team member for your business, and its fast paced changing landscape. All our locations have state of the art shipping and receiving departments offering same day shipping, and blind shipments; guaranteeing your customers will always be your customers. Providing high quality products gives you the dependability and durable performance that you require, and deserve.

Garland's outside sales force provides efficient, concise, professional on-site assistance to meet your needs. Our sales representatives have years of hands-on experience turning unique issues into practical solutions. Your Garland's inside

coordinator is just a call away. Each inside salesperson is prepared to help you with specifications, pricing and delivery information.

We are committed to providing the highest caliber of service and quality products in our industry for our customers who rely on us for their material handling needs year after year.





Ĩ	Casters & WheelsAlbionHamiltonColsonJarvisDarcorMedcasterDarnell-RoseR&K WheelsFaultlessShepherd		Hand & Pallet T B&P Mfg BT Pallet Truck Gillis Honeyman Lakeside	Tucks Magline Mobile Raymond Products Valleycraft
	Dock Equipment B&P Mfg Valleycraft Campus Crafts Vestil Mars Air Doors Wesco Save-Ty Yellow		Shelving Intermetro Edsal Equipto Scotland Rack	Rivetier Lyon Pucel Tri-Boro
X	Storage RacksSteel KingMecoCardinalLyonEdsalScotland RackEquiptoMecaluxJarke	II	Lockers & Stor Tennsco Lyon ASI Bradley Hallowell	age Penco Pinnacle Republic Edsal
	Shop EquipmentRousseauLyonCottermanJust RiteDurhamRubbermaidEGAVestilGillis		Bins & Totes Akro-Mils Buckhorn Durham Lewis	Orbis Quantum Schaefer
000	Platform Trucks Nutting B&P Mfg Magline Rubbermaid		Ergonomic & Lir Presto Advance Lift Atlas Lifts Autoquip Ecoa	fting Bishamon Jesco Liftex, Inc. Morse Mfg Roll-A-Way

The above list is only a sample of all the available options and manufacturers. For more please contact The Caster Guy Customer Service.

Moving Blankets



Moving Straps

ProFormer

Made with a cotton batting that is thicker, more durable, and more resilient than any normal pad. 3" cloth binding on all 4 sides with 4 finished corners, twice the zigzag lock-stitching.

ProFormer Two-Tone Pad (Blue/Blue)

Size	Part Number		
60" x 60"	FP2001		



ProSeries Ratchet Strap E-Series

Spring Loaded - Straps are 2" wide Cordura polyester webbing, with a fixed-end length of 4'. The minimum breaking strength capacity is 2,200 lbs., and the recommended working load limit is 725 lbs. Straps are color-coded for easy length identification.

Color	Length	Part Number		
Blue	20 ft	CC2011		
Gray	16 ft	CC2010		
Yellow	12 ft	CC2009		




ProSeries E-Series Cambuckle Strap

Spring Loaded - Straps are 2" wide Cordura polyester webbing, with a fixed-end length of 4'. The assembly breaking strength capacity is 2,200 lbs., and the working load limit is 725 lbs. Straps are color-coded for easy length identification.

Color	Length	Part Number	
Blue	20 ft	CC2043	
Gray	16 ft	CC2042	
Yellow	12 ft	CC2041	

Rubber Mover Bands

Ribbed. Quantity: 12 per pack



Rope Tie Off

Info	Part Number	1
E Series rope tie off	CC2003	1



Web Strap with Buckle

2" wide, non-slip slide roller buckle combined with heavy duty webbing makes this piano board strap ideal for many general in-van uses as well. 17-ft Long


Part Number 560-17



Forearm Lifters







F	
	I OY

Shoulder Dolly®

The Shoulder Dolly significantly reduces the need for traditional wheeled dollies. The system allows moving heavy and bulky objects safely over adverse terrain, yet gives the sensitive control necessary to navigate over fragile hard-wood and custom tile floors and around interior walls. Shoulder Dolly also increases efficiency and reduces the opportunity for personal injury. You'll be amazed.

Part Number
MA9308

Part Number
FFMHVP
FOREARM FORKLIFT CLASSIC

Back Belts

Our family of dynamic back supports provide the only wearable solution to relieve back pain.

Our DELUXE model features a Velcro safety strap that ensures back pain relief even in the most strenuous work and play environments. Made in breathable, washable fabric with a sweat-resistant wick-away lining.



Color Size		Part Number	
Black	Small, 27-32"	BABKSM	
Black	Medium, 31-36"	BABKMD	
Black	Large, 35-40"	BABKLG	
Black	X-Large, 39-44"	BABKXL	



Color Size		Part Number	
Blue	Small, 27-32"	BABLSM	
Blue	Medium, 31-36"	BABLMD	
Blue	Large, 35-40" BABLL		
Blue	X-Large, 39-44"	BABLXL	

Light Medium Duty Casters

Capacity ratings are up to 350lb per caster.

One of our most popular types of plate casters are the light-medium duty 1-1/4" wide wheel casters. They are available in a wide variety of wheel diameters and wheel types to accommodate your specific needs.

They come with a standard zinc plated caster housing, two rows of ball bearings in the swivel section and all swivels are available with a brake option. The swivel casters come standard with a zinc plated dust shield that helps to protect the swivel section where the ball bearings are housed from debris and dust for longer life of the caster. Some wheel types also come with a full or partial thread guard on each side of the wheel to reduce debris from wrapping around the axle or entering the bearings in the wheel.

Product will usually ship within 24-48 hours, depending on quantity.





Wheel Diameter (Inches)	Tread Width (Inches)	Mounting Height (Inches)	Tread Type	Bearing Type	Dynamic Load (Pounds)	Swivel Top Plate Model Number	Rigid Top Plate Model Number
3"	1-1/4"	4-1/8"	Hard Rubber High Temp Phenolic Polyolefin Polyurethane, black	Plain Bore Metal Sleeve Metal Sleeve Plain Bore Ball Bearing	275 350 350 250 250	12268 12262 12276 12285 15365	12339 12236 12343 12347 12347 15376
			Polyurethane, blue Polyurethane, red Soft Rubber Solid Polyurethane Steel Steel V-Groove Thermo-Pro Rubber	Ball Bearing Ball Bearing Plain Bore Plain Bore Plain Bore Ball Bearing	250 250 175 300 300 300 210	15369 12293 12307 15362 12315 15424 12321	15380 12351 12358 15373 12362 15425 12365
3-1/2"	1-1/4"	4-5/8"	Hard Rubber Phenolic Polyurethane, black Polyurethane, blue Polyurethane, red Soft Rubber Thermo-Pro Rubber	Plain Bore Metal Sleeve Ball Bearing Ball Bearing Ball Bearing Plain Bore Ball Bearing	285 350 250 250 250 200 230	12270 12278 15366 15370 12297 12309 12327	12340 12344 15377 15382 12353 12359 12368
4"	1-1/4"	5-1/8"	Hard Rubber High Temp Phenolic Polyolefin Polyurethane, black Polyurethane, blue Polyurethane, red Soft Rubber Solid Polyurethane Steel Thermo-Pro Rubber	Plain Bore Metal Sleeve Plain Bore Ball Bearing Ball Bearing Ball Bearing Plain Bore Plain Bore Plain Bore Ball Bearing	300 350 300 300 300 300 220 350 300 250	12272 12264 12280 12287 15367 15371 12301 12311 15363 12317 12331	12341 12337 12345 12348 15378 15383 12355 12360 15374 12363 12370
5"	1-1/4"	6-1/8"	Hard Rubber High Temp Phenolic Polyolefin Polyurethane, black Polyurethane, blue Polyurethane, red Soft Rubber Solid Polyurethane Steel Thermo-Pro Rubber	Plain Bore Metal Sleeve Plain Bore Ball Bearing Ball Bearing Ball Bearing Plain Bore Plain Bore Plain Bore Ball Bearing	325 350 350 300 300 300 250 350 350 350 300	12274 12266 12282 12289 15368 15372 12305 12313 15364 12319 12335	12342 12338 12346 12349 15379 15384 12357 12361 15375 12364 12372

Top Plate Size: 3-5/8" x 2-1/2" Bolt Holes: 3-1/16" x 1-3/4" slotted to 2-13/16" Mounting Hole Size: 5/16" (bolt not included)

Brakes available on all swivel models. Please call or email to order brake options.



Cam Brake (C) Tech Lock Pedal



Brakes available on all swivel models

Top Plate Size: 4" x 4-1/2" Bolt Holes: 3-5-/8" x 2-5/8" slotted to 3" x 3" Mounting Hole Size: 3/8" (bolt not included)

Medium Duty Casters

The Caster Guy's most popular line up of 2" wide rigid and swivel casters. They are available in a wide variety of wheel materials as well as wheel diameters from 3-1/4" up to 8". Capacities range from 350lb per caster up to 1250lb per caster.

Product will usually ship within 24-48 hours, depending on quantity.



Swivel Locks available 14872 (for 3-1/4" wheels) 14783 (for 4" - 8" wheels)

Wheel Diameter (Inches)	Tread Width (Inches)	Mounting Height (Inches)	Tread Type	Bearing Type	Dynamic Load (Pounds)	Swivel Top Plate Model Number	Rigid Top Plate Model Number
3-1/4"	2"	4-1/4"	Cast Iron Phenolic Polyurethane on Iron	Roller Roller Roller	700 700 600	14167 14164 14154	14166 14163 14153
4"	2"	5-5/8"	Cast Iron Phenolic Polyurethane on Aluminum Polyurethane on Iron Polyurethane on Polyolefin Rubber on Iron Solid Polyurethane, blue Solid Polyurethane, gray Steel V-Groove ThermoPro Rubber, flat tread ThermoPro Rubber, round tread Cast Iron	Roller Roller Roller Roller Roller Roller Roller Roller Roller Roller	800 800 800 600 400 750 1000 600 350 350 1000	14190 14184 14848 14187 14157 14157 14142 14176 14835 14161 14353 14365 14214	14189 14183 14856 14186 14156 14141 14175 14844 14159 14352 14364 14213
5"	2"	6-1/2"	Phenolic Polyurethane on Aluminum Polyurethane on Iron Polyurethane on Polyolefin Rubber on Iron Solid Polyurethane, blue Solid Polyurethane, gray Steel V-Groove ThermoPro Rubber, flat tread ThermoPro Rubber, round tread	Roller Roller Roller Roller Roller Roller Roller Roller Roller Roller	1000 900 1100 750 400 800 1250 900 350 350	14211 14850 14233 14181 14145 14193 14837 14208 14356 14368	14213 14210 14857 14232 14180 14144 14192 14845 14207 14355 14367
6"	2"	7-1/2"	Cast Iron Phenolic Polyurethane on Aluminum Polyurethane on Iron Polyurethane on Polyolefin Rubber on Iron Solid Polyurethane, blue Solid Polyurethane, gray Steel V-Groove ThermoPro Rubber, flat tread ThermoPro Rubber, round tread	Roller Roller Roller Roller Roller Roller Roller Roller Roller Roller Roller	1200 1200 1200 900 550 900 1250 1000 500 500	14242 14236 14853 14239 14205 14148 14202 14839 14224 14359 14371	14241 14235 14858 14238 14204 14147 14201 14846 14222 14358 14370
8"	2"	9-1/2"	Cast Iron Phenolic Polyurethane on Aluminum Polyurethane on Iron Polyurethane on Polyolefin Rubber on Iron Solid Polyurethane, blue Solid Polyurethane, gray Steel V-Groove ThermoPro Rubber, flat tread ThermoPro Rubber, round tread	Roller Roller Roller Roller Roller Roller Roller Roller Roller Roller Roller	1250 1250 1250 1250 1000 600 1000 1250 1200 600 600	14251 14260 14854 14248 14220 14151 14217 14841 14245 14362 14374	14250 14259 14859 14247 14219 14150 14216 14847 14244 14361 14373

Dollies

	Part Number
18" x 24" wood dolly with rubber end caps and 3" soft rubber wheels	RU18X24-3
18" x 24" wood dolly with rubber end caps and 4" soft rubber wheels	RU18X24-4
18" x 30" wood dolly with rubber end caps and 3" soft rubber wheels	RU18X30-3
18" x 30" wood dolly with rubber end caps and 4" soft rubber wheels	RU18X30-4
18" x 20" wood dolly, no rubber caps, 3" polyolefin casters	EDH14-1830-3HR
18" x 24" solid wood deck, 3" hard rubber casters	S18X24-3
rubber dolly end cap fits standard dimensions of moving dollies and offers a cushion buffer & non-slip surface. Fits 18" x 3" end board; 1" deep.	DC1830



DC1830


Tri-Cup Dollies



Size	Capacity	Part Number
6"	200 lbs	9299
12"	300 lbs	9442



Payson Casters This heavy duty cast iron frame has a 1" deep triangular pocket.







Cast semi-steel with 2" deep well, measuring 5" at the top and 3-3/16" at the bottom. Clearance is 5/8" from the floor. 375lb capacity.

Part Number 2127-2in HARD RUBBER

Piano Dolly



A quality product designed to enable users to move a variety of items with ease and reliability. ROLL-OR-KARI has been helping people move since 1941.

When you buy a ROLL-OR-KARI you get a full set of two dollies and four web straps. Ready to go; ready to do the job. Rubber and felt cushioning afford complete protection at vital spots against marring of fine finishes. Adjustable straps lock around the product securely. Retractable wheels allow instruments to rest on its own weight while in transport to avoid skidding or rolling. These features are unique with ROLL-OR-KARI trucks.

Info	Capacity	Part Number
swivel wheels on both ends	800 lbs	P6B

Johnson Bars



 \cdot Full length sealed hardwood handle

 \cdot 1/2" steel beveled nose plate

 \cdot Cold rolled steel axle

 \cdot Electrostatically applied "Alert" orange enamel finish

Handle Length	Nose Length	Nose Width	Capacity	Weight	Part Number
6 ft	3"	5"	4,250 lbs	27 lbs	16-001-600
5 ft	3"	5"	3,500 lbs	25 lbs	16-001-500



Appliance Dollies







Light weight makes it easy to handle refrigerators, washers, ranges, water heaters and TV sets on this standard size dolly.



Height	Weight	Part Number
47"	32.5 lbs	M5
59"	37.5 lbs	M7

M5

The YEATS 'Shorty' is made especially for handling TV sets, washer/dryers, room air conditioners and similar smaller appliance items. Extra handy for use with small trucks, pick-ups and SUV's. Has all the construction features of the standard YEATS model. Same 30-second ratchet strap and caterpillar step glide.

Hand Trucks



Handle	Frame	Nose Plate	Wheel	Part Number
Standard Loop, 50" Height	Standard Straight Back, No Strap	Recessed Heel w/ Cutouts, Extruded Aluminum, 14" x 7-1/2"	4-Ply Pneumatic, 2 Piece Steel Hub, Precision Bearings, 10" x 3-1/2"	A1 B1 C1 D5
Standard Loop, 50" Height	Straight Back, No Logo Chanel, No Red Striping	Front Mount w/ Cutouts, Extruded Aluminum, 14" x 7-1/2"	Balloon Cushion, Poly Hub, Precision Bearings, 8" x 2-1/8"	A1 B10 C12 D16
Standard Loop, 50" Height	Straight Back, No Logo Chanel, No Red Striping	Front Mount w/ Cutouts, Extruded Aluminum, 14" x 7-1/2"	Balloon Cushion, Poly Hub, Precision Bearings, 10" x 2-1/8"	A1 B10 C12 D15
Standard Double Grip with U-Brace, 48" Height	Straight Back, No Logo Chanel, No Red Striping	Front Mount w/ Cutouts, Extruded Aluminum, 18" x 7-1/2"	4-Ply Pneumatic, 2 Piece Steel Hub, Precision Bearings, 10" x 3-1/2"	A11 B10 C13 D5



A11 B10 C13 D5

Pallet Jacks EAGLE 55

- · Adjustable push rods
- · Grease fittings and bushings at all pivot points
- · Helper entry roller system
- · 10 strokes to maximum lift
- · Quality bearings throughout
- · Robotic welds throughout
- · Special lowering valve controls rate of descent



Finish	Load Capacity	Total Lift Height	Lowered Fork Height	Handle Fulcrum Point	Fork Size	Steering Wheel	Fork Wheel	Part Number
powder coat paint	5500 lbs	7.8"	2.9"	16.6"	20.5" W x 48" L	7"	2.9"	E55-Poly 20.5x48
powder coat paint	5500 lbs	7.8"	2.9"	16.6"	27" W x 48" L	7"	2.9"	E55-Poly 27x48

Platform Trucks

	Part Number
24" x 48" platform, 8" x 2" mold on rubber casters (2 swivel, 2 rigid), orange handle	31-005-095-G



Dock Boards & Plates



Width x Length	Max Height Difference	other	Capacity	Weight	Part Number
36" W x 48" L	7"	leg length 9"	1,900 lbs	87 lbs	E-3648H
60" W x 60" L	10"	3" welded curbs	7,000 lbs	155 lbs	L7-6060



Info	Part Number
stretch wrap; 18 in x 1500 ft	MA0105
stretch wrap dispenser	MA0107







Over 5000 manufacturers within your reach – Call us for all your material handling needs





Pallet Jacks



Drum Cradles








Rubbermaid



Tilt Trucks





1450 Radisson St | Green Bay, WI 54302 Toll free: 800.472.2118 | Phone: 920.432.2928 | Fax: 920.432.8065 www.thecasterguy.com