Hand Trucks





1450 Radisson St | Green Bay, WI 54302 Toll free: 800.472.2118 | Phone: 920.432.2928 Fax: 920.432.8065 www.thecasterguy.com

About Us

The Caster Guy is located in beautiful Green Bay Wisconsin. Our company has been in business since 1984 and The Caster Guy website began in 2009. We distribute casters, wheels, and related accessories all over the United States to homeowners as well as all business types. We sell via the web, phone, and to walk in customers.

The Caster Guy was created to ensure that potential customers from coast to coast are able to reap the same benefits that our local customers have enjoyed for years.

Our mission is to provide you with the best possible experience for your caster, wheel, or related accessory needs. This includes fast friendly service and competitive pricing.

As of July 1st, 2013 The Caster Guy became a division of Garland's Inc., and thus now has access to a full line of material handling products.

Established in Minneapolis, MN, 1944, Garland's has been distributing casters, wheels, shelving, and a wide variety of other material handling products for seventy years. Our strength of service and dedication has allowed our continued growth through the economic hardships of the eighties, and the more recent recession of the 2000's. Our stability has allowed us to expand into markets in Iowa, Colorado, and Wisconsin; giving us the ability to provide greater service to the Midwest. As one of the top caster distributors in the nation, Garland's Inc. brings the needs of our customers directly to the caster industry's forefront. Being a long standing member of the National Caster Alliance, Garlands Inc. has cultivated close relationships with some of the most prestigious manufacturers in the caster industry. In addition to the thousands of other manufacturers we offer, we proudly represent the entire line of Colson products: Colson, Albion, Shepherd, MedCaster, Jarvis, Faultless, and Pemco.

Our commitment to customer service ensures Garland's is the team member for your business, and its fast paced changing landscape. All our locations have state of the art shipping and receiving departments offering same day shipping, and blind shipments; guaranteeing your customers will always be your customers. Providing high quality products gives you the dependability and durable performance that you require, and deserve.

Garland's outside sales force provides efficient, concise, professional on-site assistance to meet your needs. Our sales representatives have years of hands-on experience turning unique issues into practical solutions. Your Garland's inside

coordinator is just a call away. Each inside salesperson is prepared to help you with specifications, pricing and delivery information.

We are committed to providing the highest caliber of service and quality products in our industry for our customers who rely on us for their material handling needs year after year.







Ĩ	Casters & Whee Albion Colson Darcor Darnell-Rose Faultless	els Hamilton Jarvis Medcaster R&K Wheels Shepherd	H	Hand & Pallet T B&P Mfg BT Pallet Truck Gillis Honeyman Lakeside	rucks Magline Mobile Raymond Products Valleycraft
	•	t Valleycraft Vestil Wesco		Shelving Intermetro Edsal Equipto Scotland Rack	Rivetier Lyon Pucel Tri-Boro
	Storage Racks Steel King Cardinal Edsal Equipto Jarke	Meco Lyon Scotland Rack Mecalux	II	Lockers & Stora Tennsco Lyon ASI Bradley Hallowell	age Penco Pinnacle Republic Edsal
	Shop Equipmen Rousseau Cotterman Durham EGA Gillis	t Lyon Just Rite Rubbermaid Vestil		Bins & Totes Akro-Mils Buckhorn Durham Lewis	Orbis Quantum Schaefer
0.0	Platform Trucks Nutting B&P Mfg Magline Rubbermaid	5		Ergonomic & Lif Presto Advance Lift Atlas Lifts Autoquip Ecoa	Eting Bishamon Jesco Liftex, Inc. Morse Mfg Roll-A-Way

The above list is only a sample of all the available options and manufacturers. For more please contact The Caster Guy Customer Service.





A1-B1-C6-D5-E1L-E60

Wheels - Highest quality with up to a 3 year warranty

Extruded Axle Brackets - Lifetime warranty

Nose Plate - Extruded aluminum for longer life

Frame - 600 lbs capacity available with industry exclusive powder coat option

Cross Members - Four sided ribbed construction

Rivets - 700 lbs aircraft grade

Handles - Ergonomically designed in several styles, some of which are welded and heat treated for extra strength

Logo Channel - For company personalization

Parts are interchangeable with most competitors' models

Handle



Flared Double Pin Grip Handles

P/N	Description	Overall Height
A11	Standard Double Grip with U-Brace	48"
A40	Sq. Loop w/ Flared Double Grips & Cross Member -HT	52"
A41	Sq. Loop w/ Flared Double Grips & Cross Member -HT	55"
A19	Sq. Loop w/ Flared Double Grips -HT	62"
A42	Sq. Loop w/ Flared Double Grips & 2 Cross Members	62"

HT = Heat Treated for Superior Strength



Vertical Grip Handles

P/N	Description	Overall Height
A7	Straight Loop, Vertical Grip	52"
A10	Straight Loop, Vertical Grip for Curved Frame	52"
A8	Straight Loop, Vertical Grip at 52"	60"
A25	Straight Loop, Vertical Grip at 52", Curved Frame	60"
A51	Straight Loop, Vertical Grip & 2 Curved Cross Members*	60"
A9	Straight Loop, Vertical Grip at 52"	68"

* = Not available with brakes

Add "S" to the end of the P/N to add the Comfort Sleeve to Vertical Grip Handles

Loop Handles






A1 A13

A14

A37





Single Pin Grip Handles

P/N	Description	Overall Height
A12	Square Loop, Single Pin Grip -HT	55"
A3	Square Loop, Single Pin Grip at 46" -HT	52"
A4	Square Loop, Single Pin Grip at 46" -HT	55"
A49	Sq. Loop, w/ Curved Cross Member, Single Pin Grip at 46" -HT*	55"
A5	Square Loop, Single Pin Grip at 46"	62"
A65	Sq. Loop w/ Loop Cross Member, Single Pin Grip at 46" -HT*	62"
A64	Sq. Loop w/ Straight & Loop Cross Member, Single Pin Grip at 46" -HT*	62"
A6	Square Loop, Single Pin Grip at 46" -HT*	68"





HT = Heat Treated for Superior Strength

* = Not available with brakes








Horizontal Grip Handles

P/N	Description	Overall Height
A52	Sq. Loop w/ Horizontal Grip, Brace & 2 Cross Members -HT	62"
A67	Sq. Loop w/ Horizontal Grip, Brace, 2 Cross Members & Pull Back Loop -HT	62"
A67M	Sq. Loop w/ Horizontal Grip, Brace, 2 Cross Members and 2 Pull Back Loops -HT	62"

V

Doι	Ible Vertical Grip Handles				ndle A
(A7 A31S	A56S	C	A57S A69	S
C	A57SM A61	A70S			
P/N	Description	Overall Height		A15	
A47	Square Loop w/ Double Vertical Grips & Cross Member -HT	55"		A16	
A31S	Square Loop, w/ Double Vertical Grips -HT	55"			
A56S	Square Loop, w/ Double Vertical Grips -HT	62"	D	Oouble Flared Loop	
A57S	Sq. Loop, w/ Double Vertical Grips & 2 Cross Members -HT	62"		Grip Handles	
A57SM	Square Loop, w/ Double Vertical Grips, 2 Cross Members & Top Pin -HT (Height is without pin)	62"			Overall
A69S	Sq. Loop w/ Double Vertical Grips, 2 Cross Members & Pull Back Loop -HT	62"	P/N		Height
A66	Sq. Loop w/ Double Vertical Grips, Cross Member w/ Pin -HT	62"	A15	Loop Grips*	55"
A70S	Square Loop, w/ Double Vertical Grips, 3 Cross Members & Pull Back Loop -HT	68"	A16	Straight Loop w/ Flared Double Vertical Loop Grips*	60"
HT = Heat	Treated for Superior Strength		* = Not av	vailable with brakes	



Nose Plate



Extruded Aluminum Recessed Heel

P/N	Description	Width x Depth
C1	Recessed Heel, w/ Cutouts, Extruded Aluminum	14" x 7-1/2"
C19	Recessed Heel, Extruded Aluminum	14" x 7-1/2"
C7	Recessed Heel, w/ Cutouts, Extruded Aluminum	14" x 10-1/2"
C2	Recessed Heel, w/ Cutouts, Extruded Aluminum	18" x 7-1/2"
C20	Recessed Heel, Extruded Aluminum	18" x 7-1/2"
C15	Recessed Heel, w/ Cutouts, Extruded Aluminum	18" x 10-1/2



Extruded Aluminum Front Mount

P/N	Description	Width x Depth
C16	Front Mount, Extruded Aluminum	14" x 7-1/2"
C12	Front Mount, w/ Cutouts, Extruded Aluminum	14" x 7-1/2"
C4	Front Mount, Extruded Aluminum	14" x 9"
C8	Front Mount, Extruded Aluminum	16" x 12"
C17	Front Mount, Extruded Aluminum	18" x 7-1/2"
C13	Front Mount, w/ Cutouts, Extruded Aluminum	18" x 7-1/2"
C6	Front Mount, Extruded Aluminum	18" x 9"
C26	Front Mount, w/ Cutouts, Extruded Aluminum	18" x 9"
C14	Front Mount, Extruded Aluminum	18" x 12"
C10	Front Mount, Extruded Aluminum	20" x 9"
C9	Front Mount, Extruded Aluminum	20" x 12"



Cast Aluminum Recessed Heel

P/N	Description	Width x Depth
CA1*	Recessed Heel, w/ Cutouts, Cast	14" x 7-1/2"
CA2*	Recessed Heel, w/ Cutouts, Cast	18" x 7-1/2"
CA3*	Recessed Heel, w/ Cutouts, Cast	14" x 12"

* All cast aluminum nose plates have a 500lb capacity and a 1 year warranty

Extruded Aluminum Rear Mount



P/N	Description	Width x Depth
C3	Rear Mount, Extruded Aluminum	14" x 7-1/2"
C5	Rear Mount, Extruded Aluminum	18" x 9"



P/N	Description	Width x Depth
C29	Recessed Mount, Steel	14" x 7-1/2"
C28	Recessed Mount, Steel	18" x 7-1/2"
C21	Front Mount, Steel	14" x 9"
C22	Front Mount, Steel	18" x 9"

Wheels

6

Carefree

Performance TPR



- · Heavy steel hub
- Four ply construction
- Precision sealed bearings

Recommended uses:

- Outdoor surfaces such as gravel, grass, & sand
- Inclement conditions such as snow, slush, or mud
 Applications requiring superi
- or shock absorption
- \cdot Rough or uneven surfaces

P/N	Description	Diameter x Width	Capacity (per wheel)	Weight
D5	4-ply Pneumatic, 2 Pc. Steel Hub, Precision Bearings	10" x 3-1/2"	350 lbs	4.4 lbs
D5F	D5 Foam Filled - Can't Go Flat	10" x 3-1/2"	350 lbs	7.0 lbs
D5F	D5 in Gray Color, Non-Marking	10" x 3-1/2"	350 lbs	4.4 lbs
D5S	D5 with Slime Sealant	10" x 3-1/2"	350 lbs	5.0 lbs



Non-marking

- Open/closed cell construction no flat foam
- One piece steel hub
- Two year warranty Precision sealed bearings
- Great choice if you want to avoid flat tires

Recommended uses:

- Outdoor surfaces such as gravel, grass, & sand
- Rough or uneven surfaces
 Inclement conditions such as
- snow, slush, or mud

P/N	Description	Diameter x Width	Capacity (per wheel)	Weight
D6	Carefree, No Flat Solid Foam, Non-Marking	10" x 3"	350 lbs	4.2 lbs

Non-marking

- · Recessed bearing
- Dark gray
- \cdot Durable poly hub
- Precision sealed bearings for short axle applications

Recommended uses:

- Smooth/semi smooth, hard surfaces
- · General purpose
- \cdot Delicate floor, tile, carpet

P/N	Description	Diameter x Width	Capacity (per wheel)	Weight
D1	High Performance, Non-Mark- ing, Gray	8" x 2"	500 lbs	2 lbs



- Non-marking
- Light weight poly hub
- · Poly tread compound
- · Precision sealed bearings
- Two year warranty

Recommended uses:

- Smooth/semi smooth, hard surfaces
- General purpose
- City deliveries side walk & concrete
- \cdot Delicate floor, tile, & carpet

P/N	Description	Diameter x Width	Capacity (per wheel)	Weight
D15	Balloon Cushion, Poly Hub, Precision Bearings, Dark Gray	10" x 2-1/8"	350 lbs	2.3 lbs
D16	Balloon Cushion, Poly Hub, Precision Bearings, Dark Gray	8" x 2-1/8"	350 lbs	1.6 lbs



- Non-marking
- \cdot Our Exclusive hand truck tire
- Light weight poly hub
- Durable and lightweight
- \cdot Two year warranty
- Great choice if you need a wheel that won't go flat but has more shock absorption than a foam filled tire

Recommended uses:

- \cdot Outdoor surfaces such as
- gravel, grass, & sand
- Rough or uneven surfacesInclement conditions such as
- snow, slush, or mud

P/N	Description	Diameter x Width	Capacity (per wheel)	Weight
D6SS	Carefree, Poly Tread, Non-Marking	10" x 3"	350 lbs	3.1 lbs



Molded on rubber

- Light weight
- · Short axle applications

Recommended uses:


- Smooth/semi smooth, hard surfaces
- \cdot General purpose

P/N	Description	Diameter x Width	Capacity (per wheel)	Weight
D12	Rubber on Aluminum, Offset Hub	8" x 1-5/8"	550 lbs	2.1 lbs

10 The Caster Guy · Green Bay, WI

Semi-Pneumatic		Recommend • Smooth/se surfaces • General purp	mi smooth, ha	ard	Pneumatic		Recommende · Smooth/sen surfaces · General purpo	ni smooth, hard	
P/N	Description	Diameter x Width	Capacity (per wheel)	Weight	P/N	Description	Diameter x Width	Capacity (per wheel)	Weight
D2	Semi-Pneumatic, 1 Pc. Plastic Hub	10" x 2"	440 lbs	6.4 lbs	D9	Pneumatic, 2 Pc. Steel Hub	8" x 2-1/2"	297 lbs	2.9 lbs

* Note: Wheel Capacity is for reference only; never exceed rated hand truck capacity (600 lbs unless otherwise noted).



Accessories

E Stair Climbers



 \cdot Ergo stair climbers vertical geometry makes it easier to go up and down stairs

High strength extruded aluminum with 15" reversible wear strip

Built in mounting holes for E46E kick bar and E47E pull back bar

P/N	Description
E1EB	Extruded Aluminum Ergo Stair Climbers for use with Disc Brakes
E1E	Extruded Aluminum Ergo Stair Climbers



- Fits B&P hand trucks as well as most competitors
- Kit includes 2 stair climbers and hardware
- · One year warranty



- High strength extruded aluminum with thick, extra long, reversible wear strip
- Kit includes 2 stair climbers and hardware
- · Two year warranty

P/N	Description
E1C	Cast Aluminum Stair Climbers

P/N	Description

E1L Extruded Aluminum Stair Climbers

Folding Noses



P/N Description		Capacity
E2F or E2R	Full Channel Extruded Folding Nose, 20"	300 lbs
E3F or E3R	Full Channel Extruded Folding Nose, 30"	300 lbs

Order "F" for use with front mount nose plates

Order "R" for use with recessed heel or rear mount nose plates



P/N	Description	Capacity
E4F or E4R	Tubular Folding Nose, 44"	110 lbs
E5F or E5R	Tubular Folding Nose, 36"	110 lbs
E6F or E6R	Tubular Folding Nose, 30"	110 lbs

Order "F" for use with front mount nose plates Order "R" for use with recessed heel or rear mount nose plates

Stair Climber Accessories



P/N	Description
E13	Aluminum Kick Bar for E1L Stair Climbers w/ 10" Wheels - 1.49" Dia.



P/N	Description
E46	Steel Kick Bar for E1L Stair Climbers w/ 10" Wheels63" Dia.
E26	Steel Kick Bar for E1L Stair Climbers w/ 8" Wheels63" Dia.
E46E	Steel Kick Bar for E1E "Ergo" Stair Climbers

· Pull back bar is spring loaded, retracts back out of the way after pulling the hand truck out from under the load



Accessories

P/N	Description
E47	Pull Back Bar for E1L Stair Climbers
E47E	Pull Back Bar for E1E "Ergo" Stair Climbers



P/N	Description
E29	Pull Bar for E1L, E1E Stair Climbers63" Dia. Aluminum w/ Red Plastic Sleeve



P/N	Description
E8	Wheel Guards, 7.38" H x 2.5" W
E8L	Wheel Guards, 12" H x 4" W



P/N	Description
E73	Retractable Ratchet Strap



P/N	Description
E9	Keg Hook for Sankey Style 1/2 Barrel

Accessories





4th Wheel Attachment

- \cdot 4th wheel attachment takes the load off the operator
- Latch keeps the 4th wheel folded up and out of the way
- when not in use
- 600 lbs capacity
- \cdot Uses smooth rolling TPR casters

P/N	Description
E37L	Fourth Wheel Attachment w/ Latch

(Not compatible with stair climbers or convertible hand trucks)





8218-001

Bags

P/N	Description
8218-001	Hand Truck Accessory Bag, 12" W x 18" H x 2" D
8218-002	Hand Truck Accessory Bag, 12" W x 18" H x 3" D

Wings

- \cdot Wings add 4" to hand truck width
- SD (Severe Duty) wings are made from extruded aluminum for increased strength





P/N	Description
E30	Frame Wings, 34" Long
E31	Frame Wings, 45" Long
E30SD	Frame Wings for Severe Duty Frames, 34" Long
E30ESD	Frame Wings for Severe Duty Frames, 40-1/2" Long

E30SD on

B1SD Frame

Brakes

When you want total safe stopping power choose:

Disc Brake System

- High strenth solid ¾" axle standard
- Precision bearings for smooth rolling and long life
- Simplified design makes for easy maintenance when required
- Disc guards prevent damage to rotors
- Conversion kit available to retro fit competitor's models over to the B&P disc brake system
- "C" Bracket allows for fast removal of calipers
- Wheel, extruded hub, and brake rotor are bolted together as a single piece
- Available wheel types: D5, D5G, D5F, D6, D6SS



P/N	Description
BDC	Brakes, Double Disc with Cable Lever
BDT	Brakes, Double Disc with T-rod Lever

· Wheel changes don't require total hand truck disassembly

- \cdot Applies equal pressure to both calipers for even braking action
- Add -P/N from the table above to the end of your custom

Liberator part number to add disc brakes to your hand truck

ator part number to add disc brakes to your

A11-B1#01-C6-D5-E1E-E47E-E60-BDT

A6-B1#02-C6-D5-E1EB#02-E46E-BDC

When you need light weight load

control choose:

- Designed to give you equal braking power even if tire pressure is low on one side
- Brake shoe design provides more leverage for better braking and won't lock up
- Brake shoes are powder coated for durability and corrosion resistance
- Can be retro fitted directly onto competitors' models
- · Will work on any wheel type



P/N	Description
BTC	Brakes, Tread with Cable Lever
BTT	Brakes, Tread with T-rod Lever

- Brake shoes provide more mechanical advantage for better braking
- Add -P/N from the table above to the end of your custom Liberator part number to add disc brakes to your hand truck

- Braking action is not affected by rain, snow, or slush
- Available in a cable or T-rod design
- Pull bar design eliminates cotter pins
- Brake handle designs allow more adjustability to suit individual drivers hands
- Two year warranty

Brakes - Cable and T-Rod

Cable Brake Lever Features:

- \cdot Better ergonomics for increased operator safety and efficiency
- \cdot Provides more leverage for better braking action
- \cdot Steel stops keep the brake lever from sagging over time
- Cable lever system is vinyl coated and threaded on the bottom to provide ease of adjustment



Flared Double Pin Grip



Vertical Grip



Single Pin Grip



Loop



Double Vertical Grip



Horizontal Grip

T-Rod Brake Lever Features:

- \cdot T-rod lever is powder coated for corrosion resistance
- \cdot T-rod lever system can be a more economic choice to the cable/lever design



Loop



Flared Double Pin Grip



Vertical Grip

Single Pin Grip



Double Vertical Grip



Horizontal Grip

Snack Food Delivery Hand Truck

- Lightweight aluminum construction
- \cdot Extra long 51" skids allow truck to easily slide out of the delivery vehicle
- Folding nose for bulky packages
- · Rear mount, extruded aluminum 14" x 10-1/2" nose plate (C31)
- \cdot 8" Proflex premium balloon cushion wheels (D16)

P/N	Description
HTA-16	Snack Food Delivery Hand Truck

Overall Height	68"	
Width	14"	
Folding Nose Length	34"	
Weight	28 lbs	
Capacity (Folding Nose)	80 lbs	
Capacity (2 Wheel)	600 lbs	



Telescoping Bin Delivery Hand Truck

- Telescopes from 84" to 114"
- \cdot Seat post clamps keep the extension where you want it
- \cdot Skids allow truck to easily slide out from the delivery vehicle
- · Extruded aluminum 16" x 12" nose plate (C8)
- No flat wheel (D6)
- · Aluminum skids with steel wear strips

P/N	Description
HTA-13	Telescoping Bin Delivery Hand Truck



Liberator Convertible Hand Truck

Designing your custom Liberator convertible hand truck is easy. Select one component from each section to create a hand truck specific to your needs.

A/B Handle/Frame

P/N	Handle	Frame	Capacity
A1-B80	Loop Handle	Senior Convertible Frame with 3 Cross Members	500 lbs
A13-B80	Loop Handle with Comfort Sleeve	Senior Convertible Frame with 3 Cross Members	500 lbs
A1-B81	Loop Handle	Senior Convertible Frame with 5 Cross Members	600 lbs
A13-B81	Loop Handle with Comfort Sleeve	Senior Convertible Frame with 5 Cross Members	600 lbs
A1-B88F Loop Handle		Senior Convertible Frame with 5 Cross Members and center strap	600 lbs
A13-B88F Loop Handle with Comfort Sleeve		Senior Convertible Frame with 5 Cross Members and center strap	600 lbs
B70	Double Ergo Grip Handle	Junior Convertible Frame with 4 Cross Members	600 lbs
B75	5 Double Ergo Grip Handle Junior Convertible Frame with 2 Cross Members		500 lbs

Nose Plate C

P/N	Description	Width x Depth
C2	Recessed Heel, w/ Cutouts, Extruded Aluminum	18" x 7-1/2"
CA1*	Recessed Heel, w/ Cutouts, Cast	14" x 7-1/2"
CA2*	Recessed Heel, w/ Cutouts, Cast	18" x 7-1/2"
C6	Front Mount, Extruded Aluminum	18" x 9"

* All cast aluminum nose plates have a 500lb capacity and a 1 year warranty















A1 B88F, A13 B88F

Specifications

	Senior	Junior
Overall Width	20"	20"
Frame Width	12"	12"
Overall Length (Platform Mode)	56"	47"
Height as a Hand Truck	61-1/2"	52"
Height as a Platform Truck	46"	41"
Platform Bed Length	51-1/2"	38-1/4"
Platform Height from Floor	11"	11"
Weight w/CA1 and D15	47 lbs	45 lbs
Casters	5" Balloon Swivel Casters	5" Balloon Swivel Casters
Capacity - as Hand Truck	600 lbs	600 lbs
Capacity - as Platform Truck	1,200 lbs	1,200 lbs



D Wheels





Folding Noses

P/N	Description	Capacity
E5F or E5R	E5F or E5R Tubular Folding Nose, 36"	
E6F or E6R	Tubular Folding Nose, 30"	110 lbs
E2F or E2R	Full Channel Extruded Folding Nose, 20"	300 lbs
E3F or E3R	Full Channel Extruded Folding Nose, 30"	300 lbs

E Accessories

D5

Solid Decks

P/N	Description
E23L	Solid Deck, 12", Senior, Snap On
E25L	Solid Deck, 12", Senior, Permanent
E50	Solid Deck, 18", Senior, Snap On
E49	Solid Deck, 18", Senior, Permanent
E22L	Solid Deck, 12", Junior, Snap On
E24L	Solid Deck, 12", Junior, Permanent
E50J	Solid Deck, 18", Junior, Snap On

Wings

P/N	Description
E32	Frame Wings, Senior, 2.5" Wide, Overall Width 17"
E32J	Frame Wings, Junior, 2" Wide, Overall Width 16"





Valley Craft's Beverage Trucks have a tapered frame with twin handles and are available with flat back or curved back bands for cylinder handling. Capacity is 10 cases, two half barrels, or one CO2 cylinder. Durable Aluminum tubing construction make this hand truck lightweight and easy to handle. Heavy duty 8 inch -deep and 10 inch -deep steel shoes are standard. Optional hand brakes provide control over heavy loads for safer transport on ramps, stairs, and over curbsides. Rolls on premium pneumatic wheels.



Part Number	Description	Frame	Shoe Size	Weight	Width	Length	Height	Tires	Load Capacity
F83880A6	Curved Back Beverage Hand Truck	Aluminum	8" x 16"	32 lbs	20.5"	9"	51"	Pneumatic, 12" x 3.5"	600 lbs
F83881A5	Curved Back Beverage Hand Truck	Aluminum	10" x 16"	34 lbs	20.5"	9"	51"	Pneumatic, 12" x 3.5"	600 lbs
F83937A9	Flat Back Beverage Hand Truck	Aluminum	8" x 16"	32 lbs	20.5"	8"	51"	Pneumatic, 12" x 3.5"	600 lbs
F83947A7	Flat Back Beverage Hand Truck	Aluminum	10" x 16"	34 lbs	20.5"	8"	51"	Pneumatic, 12" x 3.5"	600 lbs
F83941A3	Flat Back Beverage Hand Truck with Fenders	Aluminum	8" x 16"	36 lbs	20.5"	8"	51"	Pneumatic, 12" x 3.5"	600 lbs
F83944A0	Flat Back Beverage Hand Truck with Fenders	Aluminum	10" x 16"	34 lbs	20.5"	8"	51"	Pneumatic, 12" x 3.5"	600 lbs
F84010A7	Flat Back Beverage Hand Truck with Brakes	Aluminum	8" x 16"	40 lbs			51"	Pneumatic, 12" x 3.5"	600 lbs
F84009A0	Flat Back Beverage Hand Truck with Brakes	Aluminum	10" x 16"	42 lbs			51"	Pneumatic, 12" x 3.5"	600 lbs
F83970A7	Curved Back Beverage Hand Truck with Brakes	Aluminum	8" x 16"	40 lbs	19"	8"	51"	Pneumatic, 12" x 3.5"	600 lbs
F83970A6	Curved Back Beverage Hand Truck with Brakes	Aluminum	10" x 16"	42 lbs	19"	8"	51"	Pneumatic, 12" x 3.5"	600 lbs
F84008A1	Flat Back Beverage Hand Truck with Fenders and Braks	Aluminum	10" x 16"	46 lbs			51"	Pneumatic, 12" x 3.5"	600 lbs



Valley Craft's Trayless 12-Pack Delivery Truck has an extra wide frame to securely handle bulky, trayless beverage packs. The hand trucks lightweight aluminum frame makes it easy to transport. Standard shoe size is 8 inch x 16 inch . Hand truck measures 51 inch H x 19 inch W and rolls easily over virtually any surface on premium pneumatic tires. Oversized skid rails are protected by replaceable steel guards.

Trayless 12-Pack Delivery Hand Truck Aluminum Frame Shoe: 8" x 16" Weight: 38 lb Width: 19.5" Length: 10" Height: 51" Tires: Pneumatic, 12" x 3.5" Load capacity: 600 lbs **F81797A2**



Valley Craft's Case Distribution Hand Truck is the same width as a beverage truck, so these trucks conveniently fit into tightly stacked rows of cased goods. The Case Truck is perfect for beverage distribution and delivery needs. The durable aluminum frame has a long straight design to handle cases stacked six high. Heavy-duty, 8 inch - deep, steel shoe is standard. A replaceable steel axle is protected by a sturdy housing and rolls smoothly on maintenance-free, sealed bearings. Oversized skid rails are protected by replaceable steel guards. Standard shoe size is 8 inch x 16 inch. Truck measures 51 inch H x 19 inch W and rolls easily over virtually any surface on premium pneumatic tires.

Loop Handle Utility trucks are similar to standard beverage trucks and easily maneuver with just one hand for maximum versatility. Aluminum tubing construction is lightweight and easy to handle. Heavy-duty, 8 inch -deep, steel shoe is standard. A replaceable steel axle is protected by a sturdy housing and rolls smoothly on maintenance-free, sealed bearings. Oversized skidrails are protected by replaceable steel guards. Standard shoe size is 8 inch x 16 inch . Truck measures 51 inch H x 20 inch W and rolls easily over virtually any surface on premium pneumatic tires. Case Distribution Truck Aluminum Frame Shoe: 8" x 16" Weight: 33 lb Width: 19" Length: 9" Height: 51" Tires: Pneumatic, 12" x 3.5" Load capacity: 600 lbs **F84580A7**

Loop Handle Utility Hand Truck Aluminum Frame Shoe: 8" x 16" Weight: 34 lb Width: 20.5" Length: 9" Height: 51" Tires: Pneumatic, 12" x 3.5" Load capacity: 600 lbs F84335A5



Valley Crafts Standard Utility Hand Truck has a large, functional frame for moving materials of all types, both in plant and on deliveries. The cart frame has curved back bands and twin handles. The aluminum tubing construction of this hand truck is lightweight and easy to handle. Heavy duty aluminum tubing construction is lightweight and easy to handle. All joints are form-fitted for maximum strength and durability. Steel axle is replaceable.

Standard Utility Model Aluminum Frame Shoe: 10" x 16" Weight: 37 lb Width: 23" Length: 9" Height: 51" Tires: Pneumatic, 12" x 3.5" Load capacity: 600 lbs **F84066A0**

Replacement Parts

Part Number	Description	
8017-003	Handle Grips, Black	
2002-118	A11 Right Handle with Grip	
2002-107	A11 Left Handle with Grip	
2002-E45	Universal U-Brace	
E45	Universal U-Brace	
E52	52" Frame Extension	
E55	55" Frame Extension	
E60	60" Frame Extension	
E68	68" Frame Extension	
2002-301	Hardware Pack for E2F & E3F Folding Noses	
2002-313	5/8" x 18" Axle Kit	
2001-201	5/8" x 18" Axle only	
2001-702	Right Hand Wheel Bracket	
2001-211	5/8" x 16-13/16" Axle only	
2002-140	Lock/Latch Assembly	
8039-008	Wear Strip for E1C Stairclimber	
2002-733	Side Channel Reinforcements	
8021-002	Swivel Caster for Convertible Hand Trucks	
8021-003	Swivel Caster w/ Brake for Convertible Hand Trucks	

For B&P hand trucks









2002-733









Part Number	Description		
2236-G	Pneumatic Wheel		
8023-011	Tube, 4.10 x 3.50 x 4		
Z1-0236-A4	3/4" retaining ring		
G4331	Sawtooth tube tire, 4.10/3.50-4 4 ply		
ASF-107-6	1-3/8" x 3/4" 500/504 Flanged Bearing		
Z50014A8	Grip handle with black grips		
F30053A8	Axle for 3880 and 3937		
F30080A5	Axle, 3/4 x 18 for never flat tire		
R70979	8" x 16" Shoe		
R70980	10" x 16" Shoe		
For Valley Craft har	id trucks		

VALLEYCRAFT

Walkie Rider Bulk Delivery Cart

- Steel under structure
- Standard 8" x 2" urethane center wheels with four 6" x 2" TPR square tread swivel casters
- Allows 2 carts to sit side by side on walkie riders or forklifts
- Requires only 7" between forks
- 1,200 lbs capacity



P/N	Description	Width x Length		
FHE-6	Walkie Rider Bulk Delivery Cart w/ Two Handles	18" x 60"		
National States and the second s				

Not available with center brake

Warehouse Bulk Delivery Cart

R70980

 \cdot Two square handles with two crossbars and one vertical strap \cdot Standard 8" x 2" urethane center wheels with four 6" x 2" TPR

R70979

- square tread swivel casters
- · Optional removable shelf 200 lbs capacity
- \cdot Optional center brake

Dip

• 1,200 lbs capacity



P/N	Description	Width x Length
FHE-2460-217-HD10	Warehouse Cart	24" x 60"
FHE-2460-217-HD10-SH	Warehouse Cart w/ Shelf	24" x 60"
FHE-2460-217-HD10-CB	Warehouse Cart w/ Center Brake	24" x 60"
FHE-2460-217-HD10-SH-CB	Warehouse Cart w/ Shelf and Center Brake	24" x 60"

Aluminum Platform Trucks



PT-3672T

PT-3672S

36" x 72"

PTF-3648T

PTF-3648S

36" x 48"

Handle 2		150	F	155	160	165
Part Number	Description					

· 1-1/2" diameter round tub	ing
-----------------------------	-----

- \cdot Fits on either end of the deck
- · Choose 1 or 2 handles, can mix styles



3

Accessories

060

150

155

160

165







P/N	Description	Size	Capacity
650	Caster, Poly Core, Round TPR Tread	6" x 2"	1500 lbs
850	Caster, Poly Core, Round TPR Tread	8" x 2"	2000 lbs
820	Caster, Rubber on Iron Housing	8" x 2"	2000 lbs
NC	No Casters		

650

Handle, no Strap

Handle, 1 Strap

Handle, 2 Straps

Handle, w/ 18" Panel

850

820

Welded deck corner with bumper

Part Number	Description
310	Rubber Bumper, Gray (Welded Platform Only)*
с	Carpeted Deck (Welded Platform Only)**
060	Floor Lock for 6" Casters
080	Floor Lock for 8" Casters

* Welded deck is required for full perimeter rubber bumper ** Full perimeter rubber bumper is required with carpeted deck



080

PT3060S-150-850-C-310





Aluminum Hand Truck Curb Ramps





Punched

- \cdot Our exclusive process punches holes in the material, then raises the edges of the cutouts for superior traction
- · Exceptionally lightweight
- \cdot Won't collect ice, mud, snow, or debris
- \cdot Hand slot doubles as a stop
- \cdot Available in safety yellow powder coat increases visibility and traction (-SY)

P/N	Width x Length	Capacity	Weight
CRP2224	22" x 24"	500 lbs	6 lbs
CRP2618	26" x 18"	750 lbs	8 lbs
CRP2727	27" x 27"	750 lbs	13 lbs
CRP2736	27" x 36"	750 lbs	17.5 lbs
CRP3030	30" x 30"	750 lbs	15 lbs
CRP2745	27" x 45"	500 lbs	22 lbs

P/N	Width x Length	Capacity	Weight
CRP2618-SY	26" x 18"	750 lbs	8 lbs
CRP2727-SY	27" x 27"	750 lbs	13 lbs
CRP2736-SY	27" x 36"	750 lbs	17.5 lbs
CRP3030-SY	30" x 30"	750 lbs	15 lbs
CRP2745-SY	27" x 45"	500 lbs	22 lbs

Tread Plate

- \cdot Diamond tread plate
- Riveted on handle (underside) doubles as stop (LCRU and CRU models)
- \cdot CR models have welded legs
- Available in safety yellow powder coat increases visibility and traction (add -SY to part number)



P/N	Width x Length	Thickness	Stop	Capacity	Weight
LCRU2618	26" x 18"	1/8"	Riveted Handle	500 lbs	6 lbs
CRU2618	26" x 18"	3/16"	Riveted Handle	750 lbs	9 lbs
CR2618	26" x 18"	3/16"	Welded Legs	750 lbs	10 lbs
LCRU2727	27" x 27"	1/8"	Riveted Handle	500 lbs	11 lbs
CRU2727	27" x 27"	3/16"	Riveted Handle	750 lbs	16 lbs
CR2727	27" x 27"	3/16"	Welded Legs	750 lbs	17 lbs
CRU3030	30" x 30"	3/16"	Riveted Handle	750 lbs	19 lbs
CR3030	30" x 30"	3/16"	Welded Legs	750 lbs	20 lbs



P/N	Width x Length	Thickness	Capacity	Weight
CRW2224	22" x 24"	1/8"	600 lbs	6 lbs
CRW2724	27" x 24"	3/16"	750 lbs	12 lbs

Punched Wedge

- Wedge design curb ramp features the same punched design traction
- Sides folded down keep the ramp inplace and provides more usable width
- Available in safety yellow powder coat increases visibility and traction (add -SY to part number)



Policies

Privacy

The Caster Guy does not share your information with anyone. We are dedicated to your privacy. We do from time to time use tools to analyze our customer's movement within our site to maximize our advertising efforts.

Warranty

The Caster Guy products are warranted against material defects as well as workmanship for 1 year from the original date of purchase unless the product has been abused, modified, not properly installed or used in an environment it is not intended for.

Approval must be given from The Caster Guy prior to the return of any product for warranty claims. You are responsible for all shipping charges to return the product to The Caster Guy.

If it is determined that the product is to be covered under our warranty, we reserve the right to replace the product with an equal or greater value product in place of issuing a credit. If we are replacing the product, we will pay for normal ground transportation shipping charges to the original ship to location of your order. In either event, replacement or refund of a covered warranty product, we are not responsible for shipping charges to return the product to The Caster Guy.

If the product is deemed not covered by our warranty, we will at your request, return the product to a destination you choose at your expense.

Taxes

All applicable state and local taxes will be added to your order if you live in one of the following states:

- Colorado
- Iowa
- Minnesota
- Oklahoma
- Wisconsin

Returns

The Caster Guy has a 20% restocking fee for all returned goods. Please contact us if you wish to make a return. The customer is responsible for all returned shipping charges.

Exchanges

The Caster Guy policy regarding exchanges is as follows.

We will waive the 20% restocking fee if you are returning the product you ordered in error and reordering the correct product. You are responsible for all shipping charges incurred.

Payment Terms

You have two options for payment of products purchased from The Caster Guy.

Prepayment

This is done by creating a log in on our site and using your PayPal account or our secure credit card option.

Terms

You may complete and submit our credit application for approval. Please email or fax your completed application for credit along with your tax exempt certificate, if applicable, and send to The Caster Guy by email at sales@thecasterguy.com, or you may fax it to 920-432-8065. This process takes 1-2 business days to complete. You will be contacted by one of our members with the results of your credit request. Please contact us if it has been more than 2 business days since you submitted your application and you have not been contacted by someone from The Caster Guy. Please keep in mind our hours are Monday-Friday 8AM-5PM C.S.T. and only days we are open for business are counted as days processing your application. If approved, your account will be set up on Net-30 terms. This means you will have 30 days from the date of our invoice to fully pay your balance. All accounts whose balance is unpaid for 30 days from the original invoice dates will be place on credit hold and no further purchases will be permitted until the past due balance is paid in full.





Over 5000 manufacturers within your reach - Call us for all your material handling needs



Bulk Bins



Pallet Jacks



Drum Cradles



Machine Movers





Tilt Trucks



Carts

1450 Radisson St | Green Bay, WI 54302 Toll free: 800.472.2118 | Phone: 920.432.2928 | Fax: 920.432.8065 www.thecasterguy.com